Author Index 2004

Ali, S. M.	An improved elasticplastic contact model of rough surfaces in the presence of adhesion	557–567
Arcoumanis, C.	Cavitation development in the lubricant film of a reciprocating piston-ring assembly	157–171
Bair, S.	Roeland's missing data	57–60
Bair, S.	The low-shear-stress rheology of a traction fluid and the influence on film thickness	95–98
Barrell, D. J W.	Experimental simulation of impact and sliding wear in the top piston ring groove of a gasoline engine	173–183
Blake, J. J.	Measurement of running torque of tapered roller bearings	239–249
Bonneau, D.	Elastohydrodynamics analysis of lip seals with microundulations	13–21
Bonneau, D.	Thermoelastohydrodynamic lubrication for the connecting rod big-end bearing under dynamic loading	451–464
Bou-Saïd, B.	Laplace transform to avoid numerical instabilities due to the effect of Peclet number in thermal problems	343–354
Bouyer, J.	Relevance of the thermoelastohydrodynamic model in the analysis of a plain journal bearing subjected to severe operating conditions	365–377
Bullough, W. A.	The effect of particle concentration in a magneto rheological suspension on the performance of a boundary lubricated contact	251–263
Buyanovsky, I.	Influence of carbon coatings on lubricating properties of boundary layers	485–493
Chattopadhyay, A. K.	Theoretical analysis of stability characteristics of hydrodynamic journal bearings lubricated with micropolar fluids	45–56
Chiou, Y.-C.	Study on pure squeeze elastohydrodynamic lubrication motion using optical interferometry and the inverse approach	503–512
Chu, H.-M.	Study on pure squeeze elastohydrodynamic lubrication motion using optical interferometry and the inverse approach	503–512
Colin, F.	Laplace transform to avoid numerical instabilities due to the effect of Peclet number in thermal problems	343–354
Cui, J. L.	Transient elastohydrodynamic analysis of elliptical contacts. Part 1: isothermal and Newtonian lubricant solution	211–224
Dąbrowski, L.	Evaluation of water turbine hydrodynamic thrust bearing performance on the basis of thermoelastohydrodynamic calculations and operational data	413–421
Das, S.	Theoretical analysis of stability characteristics of hydrodynamic journal bearings lubricated with micropolar fluids	45–56
DeCamillo, S.	Influence of oil viscosity grade on thrust pad bearing operation	401–412
Dellis, P.	Cavitation development in the lubricant film of a reciprocating piston-ring assembly	157–171
Dick, A.	Thermal validation of a misaligned grease-lubricated journal bearing model	423–435
Dowson, D.	On the time-dependent, thermal and non-Newtonian elastohydrodynamic lubrication of line contacts subjected to normal and tangential vibrations	71–82
Dowson, D.	Transient elastohydrodynamic analysis of elliptical contacts. Part 1: isothermal and Newtonian lubricant solution	211–224
Ehret, P.	Fourier analysis of a single transverse ridge passing through an elastohydrodynamically lubricated rolling contact: a comparison with experiment	33–43
Ehret, P.	Numerical analysis of experimental observations of a single transverse ridge passing through an elastohydrodynamic lubrication point contact under rolling/sliding conditions	109–123
Evans, P. G.	*In-situ* piston measurements	185–200
Félix-Quiñonez, A.	Numerical analysis of experimental observations of a single transverse ridge passing through an elastohydrodynamic lubrication point contact under rolling/sliding conditions	109–123
Félix-Quiñonez, A.	Fourier analysis of a single transverse ridge passing through an elastohydrodynamically lubricated rolling contact: a comparison with experiment	33–43

© IMechE 2004

Feng, C.	The effect of particle concentration in a magneto rheological suspension on the performance of a boundary lubricated contact	251–263
Fillon, M.	Relevance of the thermoelastohydrodynamic model in the analysis of a plain journal bearing subjected to severe operating conditions	365–377
Fourcade, P.	Friction behaviour of plasma-sprayed stainless steel coatings doped with graphite particles	479–484
Fournier, P.	Friction behaviour of plasma-sprayed stainless steel coatings doped with graphite particles	479–484
Fujita, H.	The formation of zince dithiophosphate antiwear films	265–277
Gangopadhyay, A.	Valvetrain friction and wear: influence of surface engineering and lubricants	147–156
Ghosh, M. K.	Rotordynamic characteristics of a multilobe hybrid jorunal bearing in turbulent lubrication	61–67
Glavatskih, S. B.	Influence of oil viscosity grade on thrust pad bearing operation	401–412
Gnanamoorthy, R.	Wear characteristics of injection-moulded unfilled and glass-filled nylon 6 spur gears	495–502
Goshima, T.	Effect of cyclic load and sliding speed on the sliding wear characteristics of a bearing lined with WJ7 white metal	23–31
Goto, M.	Morphological effect of epitaxial AG films with thickness of the order of nanometres on the tribological properties of a single-crystal silicon surface in an ultra-high-vacuum environment	279–291
Green, I.	Elasto-plastic hemispherical contact moels for various mechanical properties	313–322
Guha, S. K.	Theoretical analysis of stability characteristics of hydrodynamic journal bearings lubricated with micropolar fluids	45–56
Guha, S. K.	A theoretical analysis of dynamic characteristics of finite hydrodynamic journal bearings lubricated with coupled stress fluids	125–133
Hajjam, M.	Elastohydrodynamics analysis of lip seals with microundulations	13–21
Hargreaves, D. J.	Analysis of water-lubricated journal bearings with multiple axial grooves	135–146
Harir, A.	Friction behaviour of plasma-sprayed stainless steel coatings doped with graphite particles	479–484
Hatakenaka, K.	Turbulent thermohydrodynamic lubrication models compared with measurements	391–399
Hirani, H.	Multiobjective optimization of a journal bearing using the Pareto optimality concept	323–336
Hoang, L. V.	Thermoelastohydrodynamic lubrication for the connecting rod big-end bearing under dynamic loading	451–464
Honda, F.	Morphological effect of epitaxial AG films with thickness of the order of nanometres on the tribological properties of a single-crystal silicon surface in an ultra-high-vacuum environment	279–291
Ignatieva, Z.	Influence of carbon coatings on lubricating properties of boundary layers	485–493
Ishihara, S.	Effect of cyclic load and sliding speed on the sliding wear characteristics of a bearing lined with WJ7 white metal	23–31
Jackson, M. J.	Fracture dominated wear of sharp abrasive grains and grinding wheels	225–235
Jackson, R. L.	Elasto-plastic hemispherical contact moels for various mechanical properties	313–322
Jang, J. Y.	Design of bearings on the basis of thermohydrodynamic analysis	355–363
Jin, Z. M.	On the time-dependent, thermal and non-Newtonian elastohydrodynamic lubrication of line contacts subjected to normal and tangential vibrations	71–82
Jin, Z. M.	Prediction of elastic deformation of acetabular cups and femoral heads for lubrication analysis of artificial hip joints	201–209
Jin, Z. M.	Transient elastohydrodynamic analysis of elliptical contacts. Part 1: isothermal and Newtonian lubricant solution	211–224
Jin, X. S.	Adhesion experiment on a wheel/rail system and its numerical analysis	293–303
Johnson, M. D.	Valvetrain friction and wear: influence of surface engineering and lubricants	147–156
Kane, M.	Laplace transform to avoid numerical instabilities due to the effect of Peclet number in thermal problems	343–354
Kazama, T.	Effects of approximations regarding stress and temperature profiles on the solution in thermal elastohydrodynamically lubricated line contacts	83–93
Kerth, J.	Thermal effects on the performance of floating ring bearings for turbochargers	437–450
Khonsari, M. M.	Design of bearings on the basis of thermohydrodynamic analysis	355–363
Kosasih, P. B.	An investigation into the thermal mixing in journal bearings	379–389
Kotzalas, M.	The low-shear-stress rheology of a traction fluid and the influence on film thickness	95–98
Lee, R.-T.	Study on pure squeeze elastohydrodynamic lubrication motion using optical interferometry and the inverse approach	503–512
Leung, W. C.	The effect of particle concentration in a magneto rheological suspension on the performance of a boundary lubricated contact	251–263
Levchenko, V.	Influence of carbon coatings on lubricating properties of boundary layers	485–493

© IMechE 2004

Lewis, R.	Wear mechanisms and transitions in railway wheel steels	467–478
Lin, C.	Thermal validation of a misaligned grease-lubricated journal bearing model	423–435
Liu, F.	On the time-dependent, thermal and non-Newtonian elastohydrodynamic lubrication of line contacts subjected to normal and tangential vibrations	71–82
Liu, Q. Y.	Adhesion experiment on a wheel/rail system and its numerical analysis	293–303
Majumadar, B. C.	Analysis of water-lubricated journal bearings with multiple axial grooves	135–146
Majumdar, B. C.	Steady-state and stability characteristics of hydrostatic two-layered porous oil journal bearings	99–108
Majumdar, B. C.	Stiffness and damping characteristics of lubricated ball bearings considering the surface roughness effect. Part 1: theoretical formulation	529–538
Majumdar, B. C.	Stiffness and damping characteristics of lubricated ball bearings considering the surface roughness effect. Part 2: numerical results and application	539–548
Matveenko, V.	Influence of carbon coatings on lubricating properties of boundary layers	485–493
Mekid, S.	A non-linear model for pre-rolling friction force in precision positioning	305–311
Morales-Espejel, G. E.	Fourier analysis of a single transverse ridge passing through an elastohydrodynamically lubricated rolling contact: a comparison with experiment	33–43
Morales-Espejel, G. E.	An engineering approach on sliding friction in full-film, heavily loaded lubricated contacts	513–528
Mukherjee, S.	An improved elasticplastic contact model of rough surfaces in the presence of adhesion	557–567
Nagraj, A.	Rotordynamic characteristics of a multilobe hybrid jorunal bearing in turbulent lubrication	61–67
Nakahara, T.	Morphological effect of epitaxial AG films with thickness of the order of nanometres on the tribological properties of a single-crystal silicon surface in an ultra-high-vacuum environment	279–291
Ohue, Y.	Application of the wavelet transform to health monitoring and evaluation of dynamic characteristics in gear sets	1–11
Pai, R.	Analysis of water-lubricated journal bearings with multiple axial grooves	135–146
Pavlou, D. G.	Boundary element analysis of a plate on an elastic foundation loaded by a twisted annular rigid stamp	549–555
Platon, F.	Friction behaviour of plasma-sprayed stainless steel coatings doped with graphite particles	479–484
Priest, M.	Experimental simulation of impact and sliding wear in the top piston ring groove of a gasoline engine	173–183
Quicksall, J. J.	Elasto-plastic hemispherical contact moels for various mechanical properties	313–322
Qureshi, F.	The low-shear-stress rheology of a traction fluid and the influence on film thickness	95–98
Saha, N.	Steady-state and stability characteristics of hydrostatic two-layered porous oil journal bearings	99–108
Sahoo, P.	An improved elasticplastic contact model of rough surfaces in the presence of adhesion	557–567
San Andrés, L.	Thermal effects on the performance of floating ring bearings for turbochargers	437–450
Sarangi, M.	Stiffness and damping characteristics of lubricated ball bearings considering the surface roughness effect. Part 1: theoretical formulation	529–538
Sarangi, M.	Stiffness and damping characteristics of lubricated ball bearings considering the surface roughness effect. Part 2: numerical results and application	539–548
Sekhar, A. S.	Stiffness and damping characteristics of lubricated ball bearings considering the surface roughness effect. Part 1: theoretical formulation	529–538
Sekhar, A. S.	Stiffness and damping characteristics of lubricated ball bearings considering the surface roughness effect. Part 2: numerical results and application	539–548
Seki, M.	Application of the wavelet transform to health monitoring and evaluation of dynamic characteristics in gear sets	1–11
Senthilvelan, S.	Wear characteristics of injection-moulded unfilled and glass-filled nylon 6 spur gears	495–502
Soltis, E.	Valvetrain friction and wear: influence of surface engineering and lubricants	147–156
Souchet, D.	Thermoelastohydrodynamic lubrication for the connecting rod big-end bearing under dynamic loading	451–464
Spikes, H. A.	The formation of zince dithiophosphate antiwear films	265–277
Summers, J. L.	Fourier analysis of a single transverse ridge passing through an elastohydrodynamically lubricated rolling contact: a comparison with experiment	33–43
Summers, J. L.	Numerical analysis of experimental observations of a single transverse ridge passing through an elastohydrodynamic lubrication point contact under rolling/sliding conditions	109–123

© IMechE 2004

Tachi, Y.	Effect of cyclic load and sliding speed on the sliding wear characteristics of a bearing lined with WJ7 white metal	23–31
Tamura, K.	Effect of cyclic load and sliding speed on the sliding wear characteristics of a bearing lined with WJ7 white metal	23–31
Tanaka, M.	Turbulent thermohydrodynamic lubrication models compared with measurements	391–399
Taylor, C. M.	Experimental simulation of impact and sliding wear in the top piston ring groove of a gasoline engine	173–183
Taylor, R. I.	*In-situ* piston measurements	185–200
Taylor, R. I.	Simplifications to the short bearing approximation (Letter)	569–573
Tieu, A. K.	An investigation into the thermal mixing in journal bearings	379–389
Trueman, C. E.	Measurement of running torque of tapered roller bearings	239–249
Wang, F. C.	Prediction of elastic deformation of acetabular cups and femoral heads for lubrication analysis of artificial hip joints	201–209
Wang, Y.	Thermal validation of a misaligned grease-lubricated journal bearing model	423–435
Wang, Q. J.	Thermal validation of a misaligned grease-lubricated journal bearing model	423–435
Wasilczuk, M.	Evaluation of water turbine hydrodynamic thrust bearing performance on the basis of thermoelastohydrodynamic calculations and operational data	413–421
Wemekamp, A. W.	An engineering approach on sliding friction in full-film, heavily loaded lubricated contacts	513–528
Wen, Z. F.	Adhesion experiment on a wheel/rail system and its numerical analysis	293–303
Wong, P. L.	The effect of particle concentration in a magneto rheological suspension on the performance of a boundary lubricated contact	251–263
Yang, P.	On the time-dependent, thermal and non-Newtonian elastohydrodynamic lubrication of line contacts subjected to normal and tangential vibrations	71–82
Yang, P.	Transient elastohydrodynamic analysis of elliptical contacts. Part 1: isothermal and Newtonian lubricant solution	211–224
Yoshida, A.	Application of the wavelet transform to health monitoring and evaluation of dynamic characteristics in gear sets	1–11
Zeng, J.	Adhesion experiment on a wheel/rail system and its numerical analysis	293–303
Zhang, W. H.	Adhesion experiment on a wheel/rail system and its numerical analysis	293–303
Zhou, Z. R.	Adhesion experiment on a wheel/rail system and its numerical analysis	293–303

© IMechE 2004